


Brand : **DIP Technologies**



Supported by GIAN AND NATIONAL INNOVATION FOUNDATION-INDIA





COW DUNG LOG MACHINE



Model	NEPL-LOG-3 HP	NEPL-LOG-5 HP	NEPL-LOG-10 HP	NEPL-LOG-20 HP
Production capacity*	200 Kg./Hr	500 Kg./Hr	800 Kg./Hr	1200 Kg./Hr
Log Die in Square	3" x 3"	3" x 3"	3" x 3"	3" x 3"
Log Die in Round	3"	3"	3"	3"
Electric Motor	3 HP Motor Gear Box	5 HP Motor Gear Box	10 HP Motor Gear Box	20 HP Motor Gear Box

* Depending on the operator and the material.

Salient Features

Easy To operate Sturdy Gear Box
Low Maintenance Easy To dismantle and clean

COW DUNG POT MAKING MACHINE (MANUAL)



Model	NEPL-POT-MANUAL
Production capacity*	50 pots/hr.
Pot Die Sizes	3"X3", 5"X5", 6"X6"

* Depending on the operator and the material.

Salient Features

It is manually operated and easy to use
No maintenance or recurring cost
Uniform quality of pots
Income augmentation of farmers by selling value added products

Three different size of pots can be developed in single machine.
\$Small size = 3"
\$Medium size = 5"
\$Large size = 6"

COW DUNG POT MAKING MACHINE (SEMI-AUTOMATIC)



Model	NEPL-POT-SEMI
Production capacity*	120 pots/hr.
Pot Die Sizes	3"X3", 6"X6"
Electric Motor	5HP Gear Box 3 Phase

* Depending on the operator and the material.

Salient Features

It is Motor operated and easy to use
No maintenance or recurring cost
Uniform quality of pots
Income augmentation of farmers by selling value added products

Three different size of pots can be developed in single machine.
Small size = 3"
Large size = 6"

COW DUNG CAKE(TIKKI) MAKING MACHINE



Model	NEPL-Tikki-MANUAL	NEPL-Tikki-SemiAutomatic
Production capacity*	50 Tikkis/hr.	270 Tikkis/hr.
Tikki Die	2.5", 3", 4", 6", 8", 10"	2.5" , 3" , 4"

Salient Features

It is manually operated and easy to use
No maintenance or recurring cost
Uniform quality of Tikki
Also Available in different size, shapes and with Printed Tags of Tikkis can be developed in single machine.
Income augmentation of farmers by selling value added products



COW DUNG DIYA MAKING MACHINE

Model	NEPL-DIYA-MANUAL	NEPL-DIYA-SEMI AUTOMATIC (HYDRAULIC)
Production capacity*	200 Pcs./Hr	600 Pcs./Hr
Diya Die	Standard	Standard
Cavity	4	25
Electric Motor		3 HP / 3 Ph / 1440 RPM

* Depending on the operator and the material.

Salient Features

Easy To operate Sturdy Gear Box
 Low Maintenance Easy To dismantle and clean



COW DUNG SAMBRANI CUP MAKING MACHINE

Model	NEPL-SAMBRANI CUP-MANUAL	NEPL-SAMBRANI CUP-SEMI AUTOMATIC (HYDRAULIC)
Production capacity*	200 Pcs./Hr	600 Pcs./Hr
Diya Die	Standard	Standard
Cavity	4	25
Electric Motor		3 HP / 3 Ph / 1440 RPM

* Depending on the operator and the material.

Salient Features

Easy To operate Sturdy Gear Box
 Low Maintenance Easy To dismantle and clean



COW DUNG DE-WATERING MACHINE

MODEL	NEPL-DE-WATERING
Operation	Mechanical
Output Capacity*	500 to 1000 kg/Hr.
Electric Motor	5HP / 1440 RPM / 3 PH.

* depends on the material used and on the speed of the operator.

Salient Features

Easy To operate Sturdy Gear Box
 Low Maintenance Easy To dismantle and clean

COW DUNG DHOOP CONE MAKING MACHINE

MODEL	NEPL-DHOOP CONE
Size of Dhooop Cone	Standard
Output Capacity*	35 to 40 kg/Hr.
Electric Motor	3HP / 1440 RPM / 1PH.

* depends on the material used and on the speed of the operator.

Salient Features

Easy to operate with safety. Continuous production.
 Low Maintenance. Dhooop Finishing smooth.
 Noise Less. Easy availability of Spare Parts.
 No Skilled worker required to operate machine.



COW DUNG AGARBATTI MAKING MACHINE

MODEL	NEPL-AGBT
Length of incense	150 - 400 mm
Diameter of incense	Ø2.5 - 6 mm
Output Capacity	5 to 6 Kg/Hr.
Electricity	1.5 HP / 1440 RPM / 1PH.

* depends on the material used and on the speed of the operator.

Salient Features

Easy to operate with safety.
Low Maintenance.
Noise Less.

Continuous production.
Incense Finishing smooth.
Easy availability of Spare Parts.
No Skilled worker required to operate machine.



COW DUNG DHOOPBATTI MAKING MACHINE

MODEL	NEPL-DHOOPBATTI
Length of Dhoop	Up to 4" (inches)
Diameter of Dhoop	Ø 6 - 14 mm
Output Capacity*	40 to 50 kg/Hr.
Electricity	2HP / 1440 RPM / 1PH.

* depends on the material used and on the speed of the operator.

Salient Features

Easy to operate with safety.
Low Maintenance.
Noise Less.

Continuous production.
Dhoop Finishing smooth.
Easy availability of Spare Parts.
No Skilled worker required to operate machine.



COW DUNG PULVERIZER

MODEL	NEPL-PULVERIZER
Output	40 to 50 kg./hr
Electric Motor	3HP / 1440RPM / 3 Ph

* depends on the material used and on the speed of the operator

Salient Features

Easy to operate with safety.
Low Maintenance.
Continuous production.
Easy availability of Spare Parts.
No Skilled worker required to operate machine.



COW DUNG MIXER MACHINE

MODEL	NEPL-MIXER
Capacity	20 Kg.
Electric Motor	1 HP/1Ph

Salient Features

Also Available in 50kg, 60kg, 100kg etc.
Easy to operate with safety.
Low Maintenance.
Easy availability of Spare Parts.
No Skilled worker required to operate machine.




COW DUNG SIFTER MACHINE

MODEL	NEPL-SIFTER
Capacity	50-100 Kgs.
Electric Motor	0.25HP / 1 Ph

Salient Features

Easy to operate with safety.
Low Maintenance.
Easy availability of Spare Parts.
No Skilled worker required to operate machine.

For Business Enquiries, Please contact...



NEMARIT ENGINEERING PRIVATE LIMITED

10-11, Umiya Estate, Nr. Bharat Party Plot, Amraiwadi,
Ahmedabad - 380 026. (Gujarat) INDIA.
Mobile : +91-99046 46555, +91-8460295427, +91-98240 79439, +91-9687629228
E-mail : sales@growgreennaturally.com, diptech@live.com
Web : www.growgreennaturally.com